




**Answers**
[E Click here for exercises.](#)
[S Click here for solutions.](#)

1.  $\frac{1}{200} (x^2 - 1)^{100} + C$
2.  $\frac{2}{3} \sqrt{2 + x^3} + C$
3.  $-\frac{1}{4} \cos 4x + C$
4.  $-\frac{1}{2(2x + 1)} + C$
5.  $-\frac{1}{2(x^2 + 6x)} + C$
6.  $\frac{\sec a\theta}{a} + C$
7.  $\frac{1}{4} (x^2 + x + 1)^4 + C$
8.  $-\frac{1}{24} (1 - x^4)^6 + C$
9.  $\frac{2}{3} (x - 1)^{3/2} + C$
10.  $-\frac{3}{4} (1 - x)^{4/3} + C$
11.  $\frac{1}{6} (2 + x^4)^{3/2} + C$
12.  $\frac{1}{5} (x^2 + 1)^{5/2} + C$
13.  $-\frac{2}{5(t + 1)^5} + C$
14.  $\frac{1}{9(1 - 3t)^3} + C$
15.  $-\frac{(1 - 2y)^{2.3}}{4.6} + C$
16.  $-\frac{1}{6} (3 - 5y)^{6/5} + C$
17.  $\frac{1}{2} \sin 2\theta + C$
18.  $\frac{1}{3} \tan 3\theta + C$
19.  $-\frac{1}{6(3x^2 - 2x + 1)^3} + C$
20.  $\sqrt{x^2 + 1} + C$
21.  $\frac{1}{4} \sin^4 x + C$
22.  $\frac{1}{3} \tan^3 \theta + C$
23.  $-\frac{1}{2} \cos(t^2) + C$
24.  $\frac{(1 + \sqrt{x})^{10}}{5} + C$
25.  $\frac{2}{3} (1 + \sec x)^{3/2} + C$
26.  $-\frac{1}{3} \sin(1 - t^3) + C$
27.  $-\cos(e^x) + C$
28.  $-\frac{1}{5} \cos^5 x + C$
29.  $\frac{1}{2} \ln|x^2 + 2x| + C$
30.  $\tan^{-1}(e^x) + C$
31.  $\frac{1}{7} (1 - x^2)^{7/2} - \frac{1}{5} (1 - x^2)^{5/2} + C$
32.  $2 \sin \sqrt{x} + C$
33.  $-\frac{1}{2} \cos(2x + 3) + C$
34.  $-\frac{1}{3} \sin(7 - 3x) + C$
35.  $(\sin 3\alpha)x + \frac{1}{3} \cos 3x + C$
36. 0
37.  $\frac{1}{2}$
38.  $\frac{4\sqrt{2}}{3} - \frac{5\sqrt{5}}{12}$
39.  $\frac{1}{2} \ln 3$
40.  $\frac{1}{101}$
41.  $-\frac{26}{3}$
42.  $\frac{32}{3}$
43.  $\frac{1}{8}$



16. Let  $u = 3 - 5y$ . Then  $du = -5 dy$ , so

$$\begin{aligned}\int \sqrt[5]{3-5y} dy &= \int u^{1/5} \left(-\frac{1}{5} du\right) \\ &= -\frac{1}{5} \cdot \frac{5}{6} u^{6/5} + C \\ &= -\frac{1}{6} (3-5y)^{6/5} + C\end{aligned}$$

17. Let  $u = 2\theta$ . Then  $du = 2 d\theta$ , so

$$\int \cos 2\theta d\theta = \int \cos u \left(\frac{1}{2} du\right) = \frac{1}{2} \sin u + C = \frac{1}{2} \sin 2\theta + C.$$

18. Let  $u = 3\theta$ . Then  $du = 3 d\theta$ , so  $\int \sec^2 3\theta d\theta =$

$$\int \sec^2 u \left(\frac{1}{3} du\right) = \frac{1}{3} \tan u + C = \frac{1}{3} \tan 3\theta + C.$$

19. Let  $u = 3x^2 - 2x + 1$ . Then  $du = 2(3x - 1) dx$ , so

$$\begin{aligned}\int \frac{3x-1}{(3x^2-2x+1)^4} dx &= \int u^{-4} \left(\frac{1}{2} du\right) \\ &= \frac{1}{2} \frac{u^{-3}}{-3} + C \\ &= -\frac{1}{6(3x^2-2x+1)^3} + C\end{aligned}$$

20. Let  $u = x^2 + 1$ . Then  $du = 2x dx$ , so

$$\begin{aligned}\int \frac{x dx}{\sqrt{x^2+1}} &= \int \frac{\frac{1}{2} du}{\sqrt{u}} \\ &= \frac{1}{2} \int u^{-1/2} du = \frac{1}{2} (2u^{1/2}) + C \\ &= \sqrt{u} + C = \sqrt{x^2+1} + C\end{aligned}$$

21. Let  $u = \sin x$ . Then  $du = \cos x dx$ , so

$$\int \sin^3 x \cos x dx = \int u^3 du = \frac{1}{4} u^4 + C = \frac{1}{4} \sin^4 x + C$$

22. Let  $u = \tan \theta$ . Then  $du = \sec^2 \theta d\theta$ , so

$$\int \tan^2 \theta \sec^2 \theta d\theta = \int u^2 du = \frac{1}{3} u^3 + C = \frac{1}{3} \tan^3 \theta + C$$

23. Let  $u = t^2$ . Then  $du = 2t dt$ , so

$$\begin{aligned}\int t \sin(t^2) dt &= \int \sin u \left(\frac{1}{2} du\right) \\ &= -\frac{1}{2} \cos u + C = -\frac{1}{2} \cos(t^2) + C\end{aligned}$$

24. Let  $u = 1 + \sqrt{x}$ . Then  $du = \frac{dx}{2\sqrt{x}}$ , so

$$\begin{aligned}\int \frac{(1+\sqrt{x})^9}{\sqrt{x}} dx &= \int u^9 \cdot 2 du \\ &= 2 \frac{u^{10}}{10} + C \\ &= \frac{(1+\sqrt{x})^{10}}{5} + C\end{aligned}$$

25. Let  $u = 1 + \sec x$ . Then  $du = \sec x \tan x dx$ , so

$$\begin{aligned}\int \sec x \tan x \sqrt{1+\sec x} dx &= \int u^{1/2} du \\ &= \frac{2}{3} u^{3/2} + C \\ &= \frac{2}{3} (1+\sec x)^{3/2} + C\end{aligned}$$

26. Let  $u = 1 - t^3$ . Then  $du = -3t^2 dt$ , so

$$\begin{aligned}\int t^2 \cos(1-t^3) dt &= \int \cos u \left(-\frac{1}{3} du\right) \\ &= -\frac{1}{3} \sin u + C \\ &= -\frac{1}{3} \sin(1-t^3) + C\end{aligned}$$

27. Let  $u = e^x$ . Then  $du = e^x dx$ , so

$$\begin{aligned}\int e^x \sin(e^x) dx &= \int \sin u du \\ &= -\cos u + C = -\cos(e^x) + C\end{aligned}$$

28. Let  $u = \cos x$ . Then  $du = -\sin x dx$ , so

$$\begin{aligned}\int \cos^4 x \sin x dx &= \int u^4 (-du) \\ &= -\frac{1}{5} u^5 + C = -\frac{1}{5} \cos^5 x + C\end{aligned}$$

29. Let  $u = x^2 + 2x$ . Then  $du = 2(x+1) dx$ , so

$$\begin{aligned}\int \frac{x+1}{x^2+2x} dx &= \int \frac{\frac{1}{2} du}{u} \\ &= \frac{1}{2} \ln |u| + C = \frac{1}{2} \ln |x^2+2x| + C\end{aligned}$$

30. Let  $u = e^x$ . Then  $du = e^x dx$ , so

$$\begin{aligned}\int \frac{e^x}{e^{2x}+1} dx &= \int \frac{du}{u^2+1} \\ &= \tan^{-1} u + C = \tan^{-1}(e^x) + C\end{aligned}$$

31. Let  $u = 1 - x^2$ . Then  $x^2 = 1 - u$  and  $2x dx = -du$ , so

$$\begin{aligned}\int x^3 (1-x^2)^{3/2} dx &= \int (1-x^2)^{3/2} x^2 \cdot x dx \\ &= \int u^{3/2} (1-u) \left(-\frac{1}{2}\right) du \\ &= \frac{1}{2} \int (u^{5/2} - u^{3/2}) du \\ &= \frac{1}{2} \left[ \frac{2}{7} u^{7/2} - \frac{2}{5} u^{5/2} \right] + C \\ &= \frac{1}{7} (1-x^2)^{7/2} - \frac{1}{5} (1-x^2)^{5/2} + C\end{aligned}$$

32. Let  $u = \sqrt{x}$ . Then  $du = \frac{dx}{2\sqrt{x}}$ , so

$$\begin{aligned}\int \frac{\cos \sqrt{x}}{\sqrt{x}} dx &= \int \cos u \cdot 2 du \\ &= 2 \sin u + C = 2 \sin \sqrt{x} + C\end{aligned}$$

33. Let  $u = 2x + 3$ . Then  $du = 2 dx$ , so

$$\begin{aligned}\int \sin(2x+3) dx &= \int \sin u \left(\frac{1}{2} du\right) \\ &= -\frac{1}{2} \cos u + C \\ &= -\frac{1}{2} \cos(2x+3) + C\end{aligned}$$

34. Let  $u = 7 - 3x$ . Then  $du = -3 dx$ , so

$$\begin{aligned}\int \cos(7-3x) dx &= \int \cos u \left(-\frac{1}{3} du\right) \\ &= -\frac{1}{3} \sin u + C \\ &= -\frac{1}{3} \sin(7-3x) + C\end{aligned}$$

35. Let  $u = 3x$ . Then  $du = 3 dx$ , so

$$\begin{aligned}\int (\sin 3\alpha - \sin 3x) dx &= \int (\sin 3\alpha - \sin u) \frac{1}{3} du \\ &= \frac{1}{3} [(\sin 3\alpha)u + \cos u] + C \\ &= (\sin 3\alpha)x + \frac{1}{3} \cos 3x + C\end{aligned}$$

36. Let  $u = \pi t$ , so  $du = \pi dt$ . When  $t = 0$ ,  $u = 0$ ; when  $t = 1$ ,  $u = \pi$ . Therefore,

$$\begin{aligned}\int_0^1 \cos \pi t dt &= \int_0^\pi \cos u \left(\frac{1}{\pi} du\right) \\ &= \frac{1}{\pi} [\sin u]_0^\pi = \frac{1}{\pi} (0 - 0) = 0\end{aligned}$$

37. Let  $u = 4t$ , so  $du = 4 dt$ . When  $t = 0$ ,  $u = 0$ ; when  $t = \frac{\pi}{4}$ ,  $u = \pi$ . Therefore,

$$\begin{aligned}\int_0^{\pi/4} \sin 4t dt &= \int_0^\pi \sin u \left(\frac{1}{4} du\right) \\ &= -\frac{1}{4} [\cos u]_0^\pi = -\frac{1}{4} (-1 - 1) = \frac{1}{2}\end{aligned}$$

38. Let  $u = 1 + \frac{1}{x}$ , so  $du = -\frac{dx}{x^2}$ . When  $x = 1$ ,  $u = 2$ ; when  $x = 4$ ,  $u = \frac{5}{4}$ . Therefore,

$$\begin{aligned}\int_1^4 \frac{1}{x^2} \sqrt{1 + \frac{1}{x}} dx &= \int_2^{5/4} u^{1/2} (-du) \\ &= \int_{5/4}^2 u^{1/2} du = \left[\frac{2}{3} u^{3/2}\right]_{5/4}^2 \\ &= \frac{2}{3} \left(2\sqrt{2} - \frac{5\sqrt{5}}{8}\right) \\ &= \frac{4\sqrt{2}}{3} - \frac{5\sqrt{5}}{12}\end{aligned}$$

39. Let  $u = 2x + 3$ , so  $du = 2 dx$ . When  $x = 0$ ,  $u = 3$ ; when  $x = 3$ ,  $u = 9$ . Therefore,

$$\begin{aligned}\int_0^3 \frac{dx}{2x+3} &= \int_3^9 \frac{\frac{1}{2} du}{u} \\ &= \left[\frac{1}{2} \ln u\right]_3^9 = \frac{1}{2} (\ln 9 - \ln 3) \\ &= \frac{1}{2} \ln \frac{9}{3} = \frac{1}{2} \ln 3 \quad (\text{or } \ln \sqrt{3})\end{aligned}$$

40. Let  $u = 2x - 1$ . Then  $du = 2 dx$ , so

$$\begin{aligned}\int_0^1 (2x-1)^{100} dx &= \int_{-1}^1 u^{100} \left(\frac{1}{2} du\right) \\ &= \int_0^1 u^{100} du \quad \left[\begin{array}{l} \text{since the integrand} \\ \text{is an even function} \end{array}\right] \\ &= \left[\frac{1}{101} u^{101}\right]_0^1 = \frac{1}{101}\end{aligned}$$

41. Let  $u = 1 - 2x$ . Then  $du = -2 dx$ , so

$$\begin{aligned}\int_0^{-4} \sqrt{1-2x} dx &= \int_1^9 u^{1/2} \left(-\frac{1}{2} du\right) \\ &= -\frac{1}{2} \cdot \frac{2}{3} u^{3/2} \Big|_1^9 \\ &= -\frac{1}{3} (27 - 1) = -\frac{26}{3}\end{aligned}$$

42. Let  $u = x^4 + x$ . Then  $du = (4x^3 + 1) dx$ , so

$$\begin{aligned}\int_0^1 (x^4 + x)^5 (4x^3 + 1) dx &= \int_0^2 u^5 du \\ &= \left[\frac{u^6}{6}\right]_0^2 = \frac{2^6}{6} = \frac{32}{3}\end{aligned}$$

43. Let  $u = x^3 - x$ . Then  $du = (3x^2 - 1) dx$ , so

$$\begin{aligned}\int_2^3 \frac{3x^2 - 1}{(x^3 - x)^2} dx &= \int_6^{24} \frac{du}{u^2} \\ &= \left[-\frac{1}{u}\right]_6^{24} = -\frac{1}{24} + \frac{1}{6} = \frac{1}{8}\end{aligned}$$

44. The area under the graph of  $y = \sin \sqrt{x}$  from 0 to 4 is

$A_1 = \int_0^4 \sin \sqrt{x} dx$ . The area under the graph of  $y = 2x \sin x$  from 0 to 2 is

$$\begin{aligned}A_2 &= \int_0^2 2x \sin x dx \quad \left[\begin{array}{l} u = x^2, du = 2x dx, \\ \sqrt{u} = x \text{ for } 0 \leq x \leq 2 \end{array}\right] \\ &= \int_0^4 \sin \sqrt{u} du\end{aligned}$$

Since the integration variable is immaterial,  $A_1 = A_2$ .